

J. Lewerenz, H. Mehlan, M. Steeg, K.D. Schewe, and B. Thalheim.

Cross-references

- ▶ Entity Relationship Model
- ▶ Relational Model
- ▶ Semantic Data Model
- ▶ Unified Modeling Language

Recommended Reading

1. Chen P.P. The entity-relationship model: toward a unified view of data. *ACM Trans. Database Syst.*, 1(1):9–36, 1976.
2. Gogolla M. An Extended Entity-Relationship Model – Fundamentals and Pragmatics. LNCS 767. Springer, Berlin Heidelberg New York, 1994.
3. Hartmann S. Reasoning about participation constraints and Chen's constraints. In Proc. 14th Australasian Database Conf., 2003, pp. 105–113.
4. Hartmann S., Hoffmann A., Link S., and Schewe K.-D. Axiomatizing functional dependencies in the higher-order entity-relationship model. *Inf. Process. Lett.*, 87(3):133–137, 2003.
5. Hohenstein U. Formale Semantik eines erweiterten Entity-Relationship-Modells. Teubner, Stuttgart, 1993.
6. Schewe K.-D. and Thalheim B. Conceptual modelling of web information systems. *Data Knowl. Eng.*, 54:147–188, 2005.
7. Thalheim B. Dependencies in Relational Databases. Teubner, Leipzig, 1991.
8. Thalheim B. Entity-Relationship Modeling – Foundations of Database Technology. Springer, Berlin Heidelberg New York, 2000.
9. Thalheim B. Codesign of structuring, functionality, distribution and interactivity. In Proc. 1st Asian-Pacific Conf. on Conceptual Modeling, 2004, pp. 3–12.

Extended Functional Dependencies

- ▶ Functional Dependencies for Semi-structured Data

Extended Relations

- ▶ Conditional Tables
- ▶ Naive Tables

Extended Transaction Models

- ▶ Generalization of ACID Properties
- ▶ Open Nested Transaction Models

Extended Transaction Models and the ACTA Framework

PANOS K. CHRYSANTHIS¹, KRITHI RAMAMRITHAM²

¹University of Pittsburgh, Pittsburgh, PA, USA

²Indian Institute of Technology Bombay, Mumbai, India

Synonyms

Advanced transaction models; Generalization of ACID properties

Definition

Although powerful, the transaction model adopted in traditional database systems is found lacking in functionality and performance when used for applications that involve reactive (endless), open-ended (long-lived) and collaborative (interactive) activities. Hence, various extensions to the traditional model have been proposed, referred to as *extended transactions*. These models are characterized by the structure of their transactions, the commit and abort dependencies and the visibility rules among transactions. ACTA is a comprehensive transaction framework that facilitate the specification, analysis and synthesis of extended transaction models. The name *ACTA*, meaning *actions* in Latin, was chosen given the framework's appropriateness for expressing the properties of actions used to compose a transactional computation.

Key Points

By means of the notion of transactions, database systems offer reliability guarantees concerning the correctness of data in spite of failures and concurrent accesses by multiple users. However, the transaction model as well as the simple data model adopted in traditional database systems have been found lacking in *functionalities* and *performance* in their support of the emerging advanced database applications such as design databases, computer publishing, network management, multidatabases and mobile databases. In order to deal with the inherent limitations of the traditional data and atomic transaction model, researchers have proposed semantic and object-oriented data models and extensions to the traditional transaction model. Nested transactions was the first such extension that added a hierarchical structure to the traditional flat atomic

transactions. The hierarchical structure allows concurrency within a transaction and fine-grained failure and exception handling since subtransactions can abort independently without causing the abortion of the whole transaction.

The original nested transaction model was subsequently enhanced with new types of subtransactions, relaxed abort and commit dependencies and visibility rules for externalizing partial results among transactions. These extensions led to a variety of open-nested transactions models such as Sagas, Split Transactions, Flex Transactions, ConTracts and S-transactions, and of correctness criteria such as quasi serializability, epsilon-serializability, semantic atomicity, quasi failure-atomicity.

All the above extensions have been introduced with specific applications or with specific transaction properties in mind [2]. Their ad hoc character makes it difficult to identify the properties of transactions that adhere to a particular model and to ascertain in what respects an extended transaction model is similar or different from another. The need for a comprehensive transaction framework that would facilitate the precise specification of the properties of a model, vis a vis visibility, consistency, recovery and permanence, and allow the formal comparison of different models led to the development of ACTA [1]. ACTA is a first-order logic based formalism with a precedence relation that allows a transaction modeler to specify both the high level properties (requirements) of a model and the lower level behavioral aspects of the model in terms of axioms. Specifications include the following four components: (i) the set of transaction management events associated with the transaction model, such as *begin*, *commit*, *abort*, *split*, and *join*; (ii) the semantics of these significant events, characterized in terms of their effect on objects (their value and synchronization state) and other transactions (different types of dependencies, such as commit dependency and abort dependency); (iii) the view of each transaction, specifying the state of objects visible to that transaction; and (iv) the conflict set of each transaction, containing those operations with respect to which conflicts need to be considered.

Besides supporting the specification and analysis of existing transaction models, ACTA has the power to specify the requirements of new transactional applications and synthesize models that satisfy these

requirements. This was demonstrated by deriving new transaction definitions either by starting from first principles or by modifying and/or combining the specifications of existing transaction models. The exercise of analyzing and synthesizing different transaction models revealed the many advantages of using a simple formalism like ACTA to deal with advanced transactions and has influenced a lot of transaction processing work in industry and academia.

Although ACTA has been developed to characterize extended transaction models, it has been extended to express the various correctness criteria beyond serializability. The use of this formalism resulted in a consolidated notion of correctness in which the different serializability-based criteria, such as predicatewise serializability and cooperative serializability, can be seen as special cases [3].

Cross-references

- [ACID Properties](#)
- [Correctness Criteria beyond Serializability](#)
- [ConTract](#)
- [Compensating Transactions](#)
- [e-Commerce Transactions](#)
- [Flex Transactions](#)
- [Generalization of ACID Properties](#)
- [Internet Transactions](#)
- [Multilevel Transactions and Object-Model Transactions](#)
- [Nested Transaction Models](#)
- [Open Nested Transaction Models](#)
- [Polytransactions](#)
- [Sagas](#)
- [Semantic Atomicity](#)
- [Split Transactions](#)
- [Transaction](#)
- [Transaction Management](#)
- [Transactional Processes](#)
- [Workflow Transactions](#)

Recommended Reading

1. Chrysanthis P.K. and Ramamritham K. Synthesis of extended transaction models using ACTA. *ACM Trans. Database Syst.*, 19(3):450–491, 1994.
2. Elamagarmid A. K. (Ed.). *Database Transaction Models for Advanced Applications*, Morgan Kaufmann, Los Altos, CA, 1992.
3. Ramamritham K. and Chrysanthis P.K. A taxonomy of correctness criteria in database applications. *VLDB J.*, 4(1):181–293, 1996.